	ω	2	بــا	
BRS	BRS	BRS	IS& R	Тур е
64	69	678	12	Hits
(multilayer\$2 with resist) and (sensitivity with electron)	(resist with reflow) and gate and transistor	resist with reflow	(("6143626") or ("5918142") or ("5918142") or ("5759886") or ("5759886") or ("5716891") or ("5552342") or ("4935380") or ("4935380") or ("4830974") or ("4824767") or	Search Text
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT	DBs
2004/08/1 3 17:45	2004/08/1 3 17:44	2004/08/1 3 17:21	2004/08/1	Time Stamp
				Comment
				Error Definit ion

	Тур	Hits	Search Text	DBs	Time Stamp	Comment	Error Definit ion
5	BRS	4079	electron with beam with lithography	USPAT	2004/08/1 6 09:57		
6	BRS	2172	(electron with beam with lithography) and resolution	USPAT	2004/08/1 6 09:50		
7	BRS	756	((electron with beam with lithography) and resolution) and sensitivity	USPAT	2004/08/1 6 09:50		
ω	BRS	8	(((electron with beam with lithography) and resolution) and sensitivity) and (multilevel with resist)	USPAT	2004/08/1 6 09:50		
9	BRS	1471	(multi\$5 with resist) and (electron with beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 6 09:58		
10	BRS	46	((multi\$5 with resist) and (electron with beam)) and reflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/1 6 10:44		
11	BRS	89	438/182.ccls.	USPAT; US-PGPUB	2004/08/1 6 10:45		

	Тур	Hits	Search Text	DBs	Time	Comment	Error Definit ion
12	BRS	23	438/182.ccls. and resist and electron	USPAT; US-PGPUB	2004/08/1 6 11:48		
13	BRS	3	(438/182.ccls. and resist and electron) and reflow	USPAT; US-PGPUB	2004/08/1 6 12:06		
14	BRS	155	430/296,311,313,330.cc ls. and reflow\$4	USPAT; US-PGPUB	2004/08/1 6 15:55		
15	BRS	35	(430/296,311,313,330.c cls. and reflow\$4) and gate	USPAT; US-PGPUB	2004/08/1 6 12:33		
16	BRS	3	((430/296,311,313,330. ccls. and reflow\$4) and gate) and curing	USPAT; US-PGPUB	2004/08/1 6 12:34		
17	BRS	44	(430/296,311,313,330.c cls. and reflow\$4) and curing	USPAT; US-PGPUB	2004/08/1 6 12:38		
18	BRS	4	(430/296,311,313,330.c cls. and reflow\$4) and (resist with curing)	USPAT; US-PGPUB	2004/08/1 6 12:39		
19	BRS	1892	resist with curing	USPAT; US-PGPUB	2004/08/1 6 12:39		
20	BRS	54	(resist with curing) and PMMA	USPAT; US-PGPUB	2004/08/1 6 12:39		
21	BRS	174	430/296,311,313,330.cc ls. and (heat with curing)	USPAT; US-PGPUB	2004/08/1 6 12:43		

ħ

	Typ e	Hits	Search Text	DBs	Time Stamp	Comment	Error Definit ion
			(430/296,311,313,330.c	IJSPAT;	2004/08/1		
22	BRS	N	cls. and (heat with curing)) and PMMA	US-PGPUB	6 14:23		
23	BRS	405	resist with prebaking	USPAT; US-PGPUB	2004/08/1 6 14:23		
- 1		1 /	(resist with	USPAT;	2004/08/1		
12	לל	т -	prebaking) and MMA	US-PGPUB	6 17:44		
25	BRS	136	438/167,182-184,652,70 4,725.ccls. and reflow\$5	USPAT; US-PGPUB	2004/08/1 6 17:46		